

**Web Table 1. Current Use of Contraceptive Methods Reported by Married Women 15-49, 1976-2005**

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
<b>SUB-SAHARAN AFRICA</b>									
Angola 2000	6	5	1	0	0	2	0	0	2
Benin 2001	18	7	11	0	0	2	1	1	3
Botswana 2000	50	39	0	1	0	15	1	11	10
Burkina Faso 2003	10	5	5	0	0	2	0	1	1
Burundi 2000	13	10	3	0	0	4	1	0	5
Cape Verde 1998	53	46	7	13	0	18	4	3	8
Cameroon 2004	25	12	12	1	0	2	0	8	2
Central African Rep. 2000	22	7	16	0	0	5	0	1	1
Chad 2004	3	2	1	0	0	1	0	0	1
Comoros 2000	23	19	4	1	0	8	0	1	9
Côte d'Ivoire 1998-99	14	7	7	0	0	4	0	2	1
Democratic Rep. of Congo 2001	25	4	20	0	0	1	0	2	0
Eritrea 2002	6	5	1	0	0	1	0	1	3
Ethiopia 2000	15	14	1	0	0	3	0	0	10
Gabon 2000	29	12	18	1	0	5	0	5	1
Gambia 2000	9	9	0	0	0	4	1	0	4
Ghana 2003	24	18	6	2	0	6	1	3	7
Guinea 1999	6	4	2	0	0	2	0	1	1
Guinea-Bissau 2000	6	4	3	0	0	0	2	0	1
Kenya 2003	38	31	7	4	0	8	2	1	16
Lesotho 2004	36	35	1	3	0	11	2	5	15
Liberia 1986	6	6	1	1	0	3	1	0	1
Madagascar 2003-04	25	17	9	1	0	3	1	1	11
Malawi 2004	31	28	3	6	0	2	0	2	19
Mali 2001	6	6	1	0	0	3	0	0	2
Mauritius 1991 <sup>f</sup>	73	48	25	7	0	21	3	13	4
Mozambique 2003	15	12	3	1	0	5	0	1	5
Namibia 1992	27	26	1	7	0	8	2	0	8
Niger 2000	4	4	0	0	0	3	0	0	1

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
Nigeria 2003	10	7	3	0	0	2	1	2	2
Reunion 1990 <sup>l</sup>	65	62	4	3	0	40	14	3	1
Rwanda 2005	17	10	7	1	0	2	0	1	5
Sao Tome and Principe 2000	28	28	1	0	0	17	1	0	9
Senegal 2004	11	10	1	1	0	4	1	2	4
Sierra Leone 2000	4	4	0	0	0	3	0	0	1
South Africa 1998	56	55	1	16	2	11	2	2	23
Swaziland 2000	27	26	1	6	0	5	1	2	12
Tanzania 2004-2005	25	20	5	3	0	6	0	2	9
Togo 2000	15	9	6	1	0	3	0	2	4
Uganda 2004-05	17	16	1	2	0	3	0	1	10
Zambia 2001-02	29	23	6	2	0	12	0	4	5
Zimbabwe 1999	52	50	3	3	0	36	1	2	9
<b>NEAR EAST &amp; NORTH AFRICA</b>									
Algeria 2000	59	50	8	0	0	44	4	2	0
Bahrain 1995	60	31	30	6	0	11	3	10	1
Egypt 2005	60	57	3	1	0	10	37	1	8
Gaza Strip 1996	34	29	5	0	0	3	16	5	6
Iran 1997	69	52	16.9 <sup>k</sup>	16	2	21	8	5	0
Iraq 1989	14	10	3	1	0	5	3	1	1
Jordan 2002	53	39	15	3	0	8	24	3	1
Kuwait 1996	49	41	8	2	0	29	7	3	0
Lebanon 1996	61	37	24 <sup>k</sup>	0	0	10	17	0	10
Libya 1995	39	26	13	5	0	10	11	0	0
Mauritania 2000-01	8	5	3	0	0	3	1	1	1
Morocco 2003	60	52	8	3	0	40	5	2	2
Oman 1995	22	18	3	5	0	6	2	2	4
Qatar 1998	42	32	9	4	0	16	9	3	1
Saudi Arabia 1996	31	29	2	1	0	20	7	1	0
Sudan 1992-93	10	7	3 <sup>k</sup>	0	0	5	1	0	1
Syria 1993	36	28	8	2	0	10	16	0	0

**% Currently Using**

Region, Country & Year	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
Turkey 2003	70	43	28	6	0	5	20	11	1
Tunisia 1994	59	51	8	15	0	11	22	2	2
United Arab Emirates 1995	27	24	3	4	0	12	4	2	2
Yemen 1997	13	10	3	1	0	4	3	0	1
<b>ASIA</b>									
Afghanistan 2000 <sup>g</sup>	5	4	1	1	0	1	0	0	1
Bangladesh 2004 <sup>h</sup>	53	47	10	5	1	26	1	4	11
Bhutan 1994 <sup>m</sup>	19	19	0	3	8	2	1	0	4
Cambodia 2000	21	16	5	2	0	5	1	1	8
China 1997	84	83	0.5 <sup>k</sup>	34	8	2	36	3	1
Hong Kong 1992	87	80	6.6 <sup>k</sup>	19	1	17	5	35	3
India 1998-99 <sup>i</sup>	48	43	5	34	2	2	2	3	0
Indonesia 2002	60	57	3	4	0	13	6	1	32
Korea, North (Dem. People's Rep. Korea) 1990-92	62	53	9	4	0	0	49	0	0
Korea, South (Rep. of Korea) 1997	79	67	10.6 <sup>k</sup>	29	12	2	11	14	0
Laos 2000	32	29	3	5	0	13	3	1	8
Malaysia 1994	46	30	16	3	3	13	4	5	1
Mongolia 2000	62	54	8	1	0	8	0	4	39
Myanmar (Burma) 1997	33	28	4.3 <sup>k</sup>	6	2	7	1	0	12
Nepal 2001	39	35	4	15	6	2	0	3	9
Pakistan 200/2001	27	20	7	7	0	2	4	6	3
Philippines 2003	49	33	16	11	0	13	4	2	4
Singapore 1997	60	53	7		16	10	5	22	0
Sri Lanka 1993	64	44	20	24	4	6	3	3	5
Taiwan 1992	82	74	8.3 <sup>k</sup>	27	2	5	22	18	0
Vietnam 2002	78	57	22	6	1	6	38	6	0

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
<b>LATIN AMERICA &amp; CARIBBEAN</b>									
Antigua & Barbuda 1988 <sup>j</sup>	52	51	2	11	0	26	1	6	6
Bahamas 1988 <sup>j</sup>	62	60	2	16	0	32	4	2	6
Barbados 1988 <sup>j</sup>	55	53	2	10	0	26	5	7	4
Belize 1999 <sup>f</sup>	56	52	4	18	0	16	2	6	10
Bolivia 2003	56	32	23	7	0	4	10	4	8
Brazil 1996	76	70	6	40	3	21	1	4	1
Costa Rica 1993	75	65	10	20	1	18	9	16	1
Colombia 2005	77	68	10	31	2	10	11	7	7
Cuba 2000	73	72	1	19	0	4	44	5	1
Dominica 1987 <sup>j</sup>	50	48	2	13	0	17	2	6	12
Dominican Rep. 2002	68	65	3	46	0	14	2	1	2
Ecuador 2004	71	58	13	24	0	13	10	4	6
El Salvador 2002/03	67	61	6	33	0	6	1	3	18
Grenada 1990 <sup>j</sup>	54	49	5.1 <sup>l</sup>	0	0	15	3	22	9
Guadeloupe 1976	42	31	11	12	0	10	3	6	0
Guatemala 2002	43	35	9	17	1	3	2	2	9
Guyana 2000									
Haiti 2000	28	22	5	3	0	2	0	3	14
Honduras 2001	61	51	10	18	0	10	10	3	10
Jamaica 1997 <sup>ji</sup>	65	62	3	12	0	21	1	17	11
Martinique 1976	49	38	11	12	0	17	3	5	2
Mexico 1997	67	58	9	26	2	8	15	4	4
Nicaragua 2001	67	64	3	25	1	15	6	3	14
Panama 1984	58	54	4	32	0	12	6	2	2
Paraguay 2004 <sup>f</sup>	72	61	11	12	0	15	12	12	11
Peru 2000	67	50	18	12	1	7	9	6	16
Puerto Rico 1995/1996 <sup>f</sup>	78	68	10	46	4	10	1	6	1
St. Kitts/Nevis 1984 <sup>j</sup>	41	37	4		3	20	4	6	5
St. Lucia 1988 <sup>j</sup>	49	48	1	9	2	18	4	6	9
St. Vincent/Grenadines 1988 <sup>j</sup>	58	55	4	13	0	24	3	7	7

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
Suriname 2000	42	41	1	9	0	25	2	3	3
Trinidad & Tobago 2000 <sup>j</sup>	35	33	2	7	0	10	2	12	2
Venezuela 1977	46	38	9	8	0	15	9	5	1
<b>OCEANIA</b>									
Fiji 1974	40	35	5	16	0	8	5	6	0
Papua New Guinea 1996	26	20	6	8	0	4	0	1	7
Cook Islands 1996	65	60	4	11	0	23	3	2	21
<b>EASTERN EUROPE &amp; CENTRAL ASIA</b>									
Armenia 2000	57	20	37	3	0	1	9	7	0
Azerbaijan 2001 <sup>f</sup>	55	12	44	1	0	1	6	3	0
Belarus 1995	50	42	8	1	0	7	29	5	1
Bulgaria 1997	84	46	38	0	0	9	22	14	0
Czech Rep. 1993 <sup>f</sup>	69	45	24	3	0	8	15	19	0
Estonia 1994	69	57	13	0	0	4	36	16	1
Georgia 1999 <sup>f</sup>	41	20	21	2	0	1	10	6	1
Hungary 1992-93	77	68	9	5	0	38	17	8	1
Kazakhstan 1999	60	53	8	3	0	2	42	5	1
Kyrgyz Rep. 1997	58	49	9	2	0	2	38	6	1
Latvia 1995	48	39	8	2	0	8	20	10	0
Lithuania 1994-95	56	40	15	0	0	3	14	13	10
Moldova 2005 <sup>f</sup>	66	43	23	5	0	4	25	7	2
Poland 1991	49	19	30	0	0	2	6	9	2
Romania 1999 <sup>f</sup>	64	30	34	3	0	8	7	9	3
Russia 1994	67	49	18	0	0	4	33	12	0
Slovakia 1991 <sup>n</sup>	73	41	32 <sup>k</sup>	4	0	5	11	21	0
Tajikistan 2000	33	27	6	0	0	1	25	0	1
Turkmenistan 2000	52	45	7	2	0	1	39	2	1
Ukraine 1999 <sup>f</sup>	68	38	30	1	0	3	19	14	1
Uzbekistan 2002	64	59	5	3	0	2	52	2	1

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				
<b>EUROPE</b>									
Albania 2002 <sup>f</sup>	75	8	67	4	0	1	1	2	0
Austria 1995-96	50	47	3	0	1	31	7	7	1
Belgium 1991-92	79	74	4	11	7	47	5	5	0
Bosnia-Herzegovina 2000	47	16	31	0	0	5	8	3	0
Denmark 1988 <sup>n</sup>	79	72	7	5	5	26	11	22	3
Finland 1989	77	75	1	15	1	11	26	20	2
France 1994	74	69	5	8	1	36	20	5	1
Germany 1992	73	72	1	1	0	59	6	4	2
Italy 1995-96	60	39	21	6	0	14	6	14	0
Netherlands 1993	79	76	2.9 <sup>k</sup>	5	11	49	4	8	0
Norway 1988-89	73	69	4	10	4	18	24	13	0
Portugal 1979-80	62	33	30	1	0	19	4	6	4
Serbia and Montenegro 2000	58	33	26	0	0	5	8	17	3
Slovenia 1994	74	59	15	6	0	22	22	8	3
Spain 1995	88	75	13	12	8	15	15	24	1
Sweden 1981 <sup>n</sup>	78	71	7 <sup>k</sup>	2	1	23	20	20	5
Switzerland 1994-95	82	78	5	14	8	34	6	14	1
United Kingdom 2002	86	81	5	13	17	22	6	18	5
<b>NORTH AMERICA</b>									
Canada 1995	75	73	1	31	15	14	3	9	1
United States 1995	75	71	5	24	13	16	1	13	4
<b>OTHER DEVELOPED</b>									
Australia 1986	76	72	4	28	10	24	5	4	1
Israel 1987/88	67	52	15	0	0	13	30	4	4
Japan 2000	67	63	4		4		2	42	15
New Zealand 1995	75	72	3	15	18	20	3	12	3

Region, Country & Year	% Currently Using								
	Any Method <sup>a</sup>	Any Modern Method <sup>b</sup>	Any Traditional Method <sup>c</sup>	Sterilization		OCs <sup>d</sup>	IUD	Male Condom	Other Modern Methods <sup>e</sup>
				Female	Male				

Data sources: The most recent data from the Demographic and Health Surveys and Reproductive Health Surveys are used and, for countries without these surveys, data from the United Nations, 2004 {United Nations (UN), 2004 #1160}, the US Census Bureau's International Database {United States Census Bureau, 2005 #1161}, and other nationally representative surveys.

The sum of individual modern methods may not add to "Any Modern Method" because of rounding.

Folk methods are not included due to their ineffectiveness; lactational amenorrhea (LAM) is not included due to its low levels of use and limited levels of correct use.

Numbers for "Any Method" may vary in other publications depending on whether folk methods, LAM, etc, are included. For definitions used in this report, see footnotes a-c and e.

<sup>a</sup> Any method: any modern or traditional method as defined below.

<sup>b</sup> Modern methods: female and male sterilization, oral contraceptives, IUDs, male condoms, and other modern methods (as defined below).

<sup>c</sup> Traditional methods: periodic abstinence and withdrawal.

<sup>d</sup> Oral Contraceptives.

<sup>e</sup> Other modern methods: female condoms, implants, injectables, diaphragms, cervical caps, vaginal foaming tablets, and spermicides.

<sup>f</sup> Data for women 15-44.

<sup>g</sup> Eastern Afghanistan only.

<sup>h</sup> Data for women 10-49.

<sup>i</sup> Data for women 13-49.

<sup>j</sup> Includes women in visiting unions.

<sup>k</sup> In addition to periodic abstinence and withdrawal, also includes one or more other traditional methods, such as prolonged abstinence, breastfeeding, douching, or various folk methods

<sup>l</sup> Includes female and male sterilization and vaginal barrier methods.

<sup>m</sup> Data for all women.

<sup>n</sup> Data for all sexually active women.